SAFETY DATA SHEET

1. Identification

Product number 1000007254

Product identifier 11 OZ SW RD90 LUBRICANT LB 12PK

Revision date 03-04-2014 Company information Sprayway, Inc.

1005 S. Westgate Drive

Addison, IL 60101 United States

Company phone General Assistance 1-630-628-3000

Emergency telephone US 1-866-836-8855 **Emergency telephone outside** 1-952-852-4646

US

Version # 02

Supersedes date 03-04-2014 Recommended use Lubricant Recommended restrictions None known.

2. Hazard(s) identification

Flammable aerosols **Physical hazards** Category 1 Aspiration hazard **Health hazards** Category 1

OSHA defined hazards Not classified.

Label elements





Signal word Danger

Hazard statement Extremely flammable aerosol. May be fatal if swallowed and enters airways.

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open

flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Response If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting.

Storage Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 2

Hazardous to the aquatic environment, Category 2

long-term hazard

Supplemental information

Hazard statement Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Prevention Avoid release to the environment.

Response Collect spillage.

51.18% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 51.18% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Product name: 11 OZ SW RD90 LUBRICANT LB 12PK

Mixtures

Hazardous components

Chemical name	Common name and synonyms	CAS number	%
Distillates (Petroleum), Hydrotreated Light		64742-47-8	20 - 40
Mineral Spirits		64742-48-9	10 - 20

Product #: 1000007254 Version #: 02 Revision date: 03-04-2014 Issue date: 03-04-2014

Hazardous components				
Chemical name	Common name and synonyms	CAS number	%	
Diethylene Glycol Monobutyl Ether		112-34-5	2.5 - 10	
Propane		74-98-6	2.5 - 10	
Other components below reportable levels			20 - 40	

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

The full text for all R-phrases is displayed in Section 16 of the MSDS.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Aspiration may cause pulmonary edema and pneumonitis.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

treatment needed
General information

Take off all contaminated clothing immediately. Wash contaminated clothing before reuse. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Use only outdoors or in a well-ventilated area. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Provide adequate ventilation. Avoid breathing mist or vapor.

Conditions for safe storage, including any incompatibilities

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Keep in a cool place. Store away from incompatible materials (see Section 10 of the MSDS). Level 3 Aerosol.

Product name: 11 OZ SW RD90 LUBRICANT LB 12PK

Product #: 1000007254 Version #: 02 Revision date: 03-04-2014 Issue date: 03-04-2014 2

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Value Type Propane (CAS 74-98-6) PEL 1800 mg/m3 1000 ppm US. NIOSH: Pocket Guide to Chemical Hazards Components **Type** Value TWA Propane (CAS 74-98-6) 1800 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s). Appropriate engineering Explosion-proof general and local exhaust ventilation.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear protective gloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

1000 ppm

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene When using do not smoke. Always observe good personal hygiene measures, such as washing considerations after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Color Not available. **Form** Aerosol. **Physical state** Gas.

Boiling point 420.8 °F (216 °C) estimated

Flash point -156.00 °F (-104.44 °C) Propellant estimated

Melting point/freezing point Not available. Odor Not available Not available. pН Solubility(ies) Not available. Not available. Vapor density

27.01 psig @70F estimated Vapor pressure

Not available. **Viscosity**

Other information

0.954 estimated Specific gravity

10. Stability and reactivity

Reactivity Strong oxidizing agents.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Smallest quantities reaching the lungs through swallowing or subsequent vomiting may result in

lung edema or pneumonia.

Inhalation Not available.

Product name: 11 OZ SW RD90 LUBRICANT LB 12PK

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. If aspirated into lungs during swallowing

or vomiting, may cause chemical pneumonia, pulmonary injury or death.

Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components Species Test Results

Diethylene Glycol Monobutyl Ether (CAS 112-34-5)

Acute Dermal

LD50 Rabbit 2700 mg/kg

Oral

LD50 Guinea pig 2000 mg/kg

 Mouse
 2400 mg/kg

 Rabbit
 2200 mg/kg

 Rat
 4500 mg/kg

Other

LD50 Mouse 850 mg/kg

Rat 500 mg/kg

Propane (CAS 74-98-6)

Acute

Inhalation

LC50 Rat > 1442.847 mg/l, 15 Minutes

658 mg/l/4h

Skin corrosion/irritation

Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Not available.

Germ cell mutagenicity Not available.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Product		Species	Test Results
11 OZ SW RD90 LUB	RICANT LB 12PK ((CAS Mixture)	
Crustacea	EC50	Daphnia	4837 mg/L, 48 Hours
Fish	LC50	Fish	123 mg/L, 96 Hours
Components		Species	Test Results
Diethylene Glycol Mor	nobutyl Ether (CAS	112-34-5)	
Crustacea	EC50	Daphnia	2850 mg/L, 48 Hours
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	1300 mg/l, 96 hours
Distillates (Petroleum)), Hydrotreated Ligh	nt (CAS 64742-47-8)	
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

0.56 Diethylene Glycol Monobutyl Ether Propane 2.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN1950 **UN** number

UN proper shipping name Aerosols, flammable

Transport hazard class(es) 2.1

Subsidiary class(es) Not available. **Packing group** Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

None Labels required N82 Special provisions 306 Packaging exceptions None Packaging non bulk None Packaging bulk

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

IATA

UN number UN1950

Aerosols, flammable UN proper shipping name

Transport hazard class(es) 2 1 Subsidiary class(es)

Not available. **Packaging group**

Nο **Environmental hazards** 2 1 Labels required 10L **ERG Code**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Packaging Exceptions LTD QTY

IMDG

UN1950 **UN number**

AEROSOLS, MARINE POLLUTANT **UN proper shipping name**

Transport hazard class(es) Subsidiary class(es)

Not available. Packaging group

Environmental hazards

Marine pollutant Yes Labels required None Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

LTD QTY **Packaging Exceptions** Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

Product name: 11 OZ SW RD90 LUBRICANT LB 12PK

Product #: 1000007254 Version #: 02 Revision date: 03-04-2014 Issue date: 03-04-2014



IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

SARA 302 Extremely No

hazardous substance

SARA 311/312 Hazardous No

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Propane (CAS 74-98-6)

Safe Drinking Water Act

Not regulated.

(SDWA)

Product name: 11 OZ SW RD90 LUBRICANT LB 12PK

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Food and Drug

Not regulated.

Administration (FDA)

US state regulationsThis product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. New Jersey Worker and Community Right-to-Know Act

Propane (CAS 74-98-6) 500 lbs

Inventory name

US. Pennsylvania RTK - Hazardous Substances

Propane (CAS 74-98-6)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

 Issue date
 03-04-2014

 Revision date
 03-04-2014

Version # 02

United States & Puerto Rico

Further information Not available.

DisclaimerThe information in the sheet was written based on the best knowledge and experience currently

available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with

any other materials or in any process, unless specified in the text.

Revision Information Product and Company Identification: Product Review

Toxicological Information: Toxicological Data

Regulatory Information: Canada

Product name: 11 OZ SW RD90 LUBRICANT LB 12PK

Product #: 1000007254 Version #: 02 Revision date: 03-04-2014 Issue date: 03-04-2014 7

On inventory (yes/no)*

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).